

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	669	WAP adj2 server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:55
S2	156	S1 and data adj2 transmi\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:56
S3	0	S2 and explorer and activat\$3 adj2 application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:56
S4	10	S2 and explorer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:03
S5	6	server and list adj access\$3 adj (file\$1 or document or site\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:07
S6	7	S1 and (download\$3 adj2 application) with mobile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:11
S7	17	(download\$3 adj2 application) with mobile and access\$3 adj2 file	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:13
S8	4	data with transmission and list adj2 (accessible adj (file\$1 or document))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:05

S9	1	firewall and (list adj2 (permit\$3 adj2 port\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:08
S10	20	firewall and(permit\$3 adj2 port\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:13
S11	149	firewall and((permit\$3 or allow\$3) adj2 port\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:14
S12	3	firewall and(list adj2 ((permit\$3 or allow\$3) adj2 port\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:16
S13	2	firewall and (list adj2 (allow\$3 adj2 port\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:18
S14	10	(list adj2 (allow\$3 adj2 port\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:22
S15	652	list with access\$3 with URL	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:22
S16	121	S15 and name with file and data with transmi\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:23

S17	12	S16 and WAP	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:28
S18	2040	(server or (data adj server)) with (access adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:29
S19	26	S18 and (URL with (application and name and IP))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:40
S20	665	server and firewall and allowed with application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:41
S21	8	S20 and WAP with client	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:45
S22	36	firewall and allowed adj2 port\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:57